

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97001	Antelope	Not Assigned	0	0	0	0.0	0.0
97002	Aurora	Moderate	41	5	11.1	1.8	14.6
97003	Beaverton	Low	86	3	4.6	1.4	2.3
97004	Beavercreek	Moderate	43	6	6.4	2.5	25.6
97005	Beaverton	Low	117	3	6.4	1.3	5.1
97006	Beaverton	Low	165	4	13.5	1.4	5.5
97007	Beaverton	Moderate	419	5	30.5	2.0	14.1
97008	Beaverton	Low	201	4	45.8	1.6	8.5
97009	Boring	High	90	8	41.3	5.0	44.4
97010	Bridal Veil	Not Assigned	0	0	0	0.0	0.0
97011	Brightwood	Not Assigned	3	1	1	0.6	0.0
97013	Canby	Moderate	144	6	20	2.3	18.8
97014	Cascade Locks	Not Assigned	3	7	6.8	4.0	66.7
97015	Clackamas	Low	119	4	30.3	1.6	8.4
97016	Clatskanie	High	21	9	33.7	4.7	52.4
97017	Colton	Moderate	20	7	11.7	3.6	35.0
97018	Columbia City	High	33	8	58.9	6.6	45.5
97019	Corbett	High	36	8	29.7	4.1	33.3
97020	Donald	Not Assigned	0	0	0	0.0	0.0
97021	Dufur	Not Assigned	4	6	8.2	2.0	25.0
97022	Eagle Creek	Low	26	3	5.9	1.7	7.7
97023	Estacada	Moderate	44	6	13	2.4	20.5
97024	Fairview	Low	31	4	9.1	1.5	3.2
97026	Gervais	*Moderate*	8	7	7.2	3.5	50.0
97027	Gladstone	Moderate	145	6	27.9	3.2	24.1
97028	Government Camp	Not Assigned	3	1	1.2	1.0	0.0
97029	Grass Valley	Not Assigned	0	0	0	0.0	0.0
97030	Gresham	Moderate	169	7	28.8	3.1	26.0
97031	Hood River	Moderate	183	7	41.1	3.6	29.5
97032	Hubbard	*Moderate*	11	6	7	2.3	27.3
97033	Kent	Not Assigned	0	0	0	0.0	0.0
97034	Lake Oswego	Moderate	763	6	127.8	2.9	21.2
97035	Lake Oswego	Moderate	752	7	116.3	3.4	28.6
97037	Maupin	Not Assigned	1	1	2.1	1.6	0.0
97038	Molalla	Low	46	3	4.3	1.2	2.2
97039	Moro	Not Assigned	0	0	0	0.0	0.0
97040	Mosier	Not Assigned	4	6	6.4	3.5	25.0
97041	Mount Hood Parkdale	High	35	8	29.5	4.6	40.0
97042	Mulino	*Moderate*	16	6	11	2.2	12.5
97044	Odell	Not Assigned	0	0	0	0.0	0.0
97045	Oregon City	Moderate	502	6	24.8	2.4	18.5
97048	Rainier	*Moderate*	18	5	9	1.8	16.7

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

Last Modified

"Not Assigned" indicated there were fewer than 5 locations.

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97049	Rhododendron	*Low*	11	1	2.3	0.7	0.0
97050	Rufus	Not Assigned	0	0	0	0.0	0.0
97051	Saint Helens	Moderate	56	6	20.4	2.1	19.6
97053	Warren	Moderate	25	7	34.3	3.5	36.0
97054	Deer Island	Not Assigned	4	1	3	1.6	0.0
97055	Sandy	Moderate	122	7	23.4	3.3	36.9
97056	Scappoose	Moderate	125	7	36.5	3.8	29.6
97057	Shaniko	Not Assigned	0	0	0	0.0	0.0
97058	The Dalles	Moderate	57	5	9.8	1.7	10.5
97060	Troutdale	Moderate	68	5	15.5	1.9	11.8
97062	Tualatin	Moderate	218	6	69.7	2.2	13.8
97063	Tygh Valley	Not Assigned	0	0	0	0.0	0.0
97064	Vernonia	*Low*	10	4	4.8	1.7	10.0
97065	Wasco	Not Assigned	1	1	0.5	0.5	0.0
97067	Welches	*Low*	11	3	4.1	1.0	9.1
97068	West Linn	Moderate	693	6	49	2.8	21.4
97070	Wilsonville	Moderate	259	5	18.3	2.0	13.9
97071	Woodburn	Moderate	55	5	18.7	1.7	10.9
97078	Beaverton	Moderate	96	6	17.9	2.0	10.4
97080	Gresham	Moderate	227	5	45.4	2.0	11.0
97086	Happy Valley	Low	237	4	50.4	1.8	8.0
97089	Damascus	Moderate	131	6	92	2.8	21.4
97101	Amity	High	23	9	39.7	7.3	52.2
97102	Arch Cape	Not Assigned	1	1	1.8	1.8	0.0
97103	Astoria	Moderate	79	7	17.7	3.2	34.2
97106	Banks	High	74	9	49.8	7.1	63.5
97107	Bay City	Not Assigned	2	7	6.1	3.7	50.0
97108	Beaver	Not Assigned	1	2	2.2	2.2	0.0
97109	Buxton	Not Assigned	3	7	8.6	3.1	33.3
97110	Cannon Beach	Not Assigned	0	0	0	0.0	0.0
97111	Carlton	*Moderate*	15	5	9.3	1.7	13.3
97112	Cloverdale	Not Assigned	3	6	5.9	2.5	33.3
97113	Cornelius	Moderate	35	6	38.6	2.8	20.0
97114	Dayton	*Moderate*	15	7	9.6	3.3	33.3
97115	Dundee	High	121	8	67	4.8	38.8
97116	Forest Grove	Moderate	110	7	105.9	4.0	25.5
97117	Gales Creek	*High*	7	8	13.5	4.3	42.9
97118	Garibaldi	Not Assigned	1	2	3.8	3.5	0.0
97119	Gaston	Moderate	39	7	17.7	3.0	33.3
97121	Hammond	Not Assigned	0	0	0	0.0	0.0
97122	Hebo	Not Assigned	2	9	12.4	6.5	100.0
97123	Hillsboro	Moderate	241	6	34.4	2.9	22.8

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97124	Hillsboro	Low	240	4	14	1.7	8.8
97125	Manning	*High*	5	9	17.3	6.3	60.0
97127	Lafayette	*Low*	13	3	5	1.3	7.7
97128	McMinnville	Moderate	83	6	15	2.2	13.3
97130	Manzanita	Not Assigned	0	0	0	0.0	0.0
97131	Nehalem	*High*	5	9	44.6	10.8	40.0
97132	Newberg	Moderate	240	7	27.9	3.0	27.5
97133	North Plains	High	57	8	29.1	4.2	40.4
97135	Pacific City	Not Assigned	3	6	9.7	1.1	33.3
97136	Rockaway Beach	*Moderate*	5	6	11.6	3.7	20.0
97137	Saint Paul	*High*	8	9	11.9	4.9	50.0
97138	Seaside	*Low*	11	4	5.6	1.4	18.2
97140	Sherwood	Moderate	414	6	71.6	3.3	24.9
97141	Tillamook	*Moderate*	13	7	49.8	4.9	23.1
97144	Timber	Not Assigned	1	2	2.4	2.4	0.0
97145	Tolovana Park	Not Assigned	0	0	0	0.0	0.0
97146	Warrenton	*Low*	8	4	4.6	1.0	12.5
97147	Wheeler	Not Assigned	0	0	0	0.0	0.0
97148	Yamhill	Moderate	22	7	15.9	2.5	27.3
97149	Neskowin	Not Assigned	3	7	9.3	3.3	33.3
97201	Portland	Moderate	125	6	27.9	2.2	12.0
97202	Portland	Moderate	1284	7	31.5	3.3	34.5
97203	Portland	Moderate	521	7	41.3	3.2	31.7
97204	Portland	*Moderate*	13	7	8.5	2.0	30.8
97205	Portland	Moderate	78	6	18.3	2.1	17.9
97206	Portland	High	1066	8	65.1	4.3	38.9
97209	Portland	Moderate	52	5	8.2	1.6	13.5
97210	Portland	Moderate	201	6	121.8	2.5	10.4
97211	Portland	High	1433	9	114	5.4	50.2
97212	Portland	Moderate	1778	7	85.5	3.9	41.8
97213	Portland	High	1872	9	111.9	6.2	57.0
97214	Portland	Moderate	695	7	34.6	2.8	29.1
97215	Portland	Moderate	615	6	34.8	2.8	23.9
97216	Portland	High	221	8	41.3	5.5	49.3
97217	Portland	High	940	8	39.3	4.2	42.7
97218	Portland	High	423	8	71.3	5.7	48.0
97219	Portland	Moderate	798	6	110.4	2.0	12.8
97220	Portland	High	532	8	68.4	5.5	47.0
97221	Portland	Moderate	267	5	40.9	1.9	10.5
97222	Portland	Moderate	323	6	29.6	2.6	20.7
97223	Portland	Moderate	379	5	25.6	1.8	12.1
97224	Portland	Moderate	319	5	11.1	1.6	10.3

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97225	Portland	Moderate	452	6	32.5	2.4	21.7
97227	Portland	Moderate	77	7	11.8	3.4	40.3
97229	Portland	Low	756	4	90	1.5	6.7
97230	Portland	High	405	8	96.3	6.2	45.2
97231	Portland	Moderate	98	6	23.9	2.3	14.3
97232	Portland	Moderate	357	7	22.5	3.0	30.0
97233	Portland	High	196	8	189.7	6.5	49.0
97236	Portland	High	219	8	88.6	5.9	42.5
97239	Portland	Moderate	273	5	12.3	1.8	10.6
97266	Portland	High	254	8	106.1	7.2	48.0
97267	Portland	Moderate	342	6	55.5	2.5	18.1
97301	Salem	Low	156	4	15.8	1.9	5.8
97302	Salem	Moderate	522	7	65.6	3.8	33.1
97303	Salem	Low	87	4	39.8	1.6	5.7
97304	Salem	Moderate	651	7	114.3	3.6	25.2
97305	Salem	Low	79	4	9.9	1.8	8.9
97306	Salem	Moderate	331	6	22.7	2.9	23.3
97310	Salem	Not Assigned	0	0	0	0.0	0.0
97317	Salem	Moderate	110	6	36.1	2.9	24.5
97321	Albany	Low	75	4	10.7	1.5	9.3
97322	Albany	Low	36	1	3.8	1.2	0.0
97324	Alsea	Not Assigned	3	8	9.7	4.2	33.3
97325	Aumsville	Low	23	4	5.2	1.6	13.0
97326	Blodgett	Not Assigned	1	1	0.8	0.8	0.0
97327	Brownsville	Not Assigned	4	6	5.5	2.1	25.0
97329	Cascadia	Not Assigned	0	0	0	0.0	0.0
97330	Corvallis	Moderate	330	6	28.6	2.2	17.0
97331	Corvallis	Not Assigned	0	0	0	0.0	0.0
97333	Corvallis	Moderate	101	5	9.6	2.0	15.8
97335	Crabtree	Not Assigned	0	0	0	0.0	0.0
97338	Dallas	Low	112	4	36.1	2.0	9.8
97341	Depoe Bay	*Low*	10	1	1.8	0.8	0.0
97342	Detroit	Not Assigned	1	1	2.4	2.0	0.0
97343	Eddyville	Not Assigned	0	0	0	0.0	0.0
97344	Falls City	Not Assigned	3	8	16.4	7.9	33.3
97345	Foster	Not Assigned	0	0	0	0.0	0.0
97346	Gates	Not Assigned	2	1	0.7	0.6	0.0
97347	Grand Ronde	Not Assigned	1	1	1.7	1.7	0.0
97348	Halsey	Not Assigned	0	0	0	0.0	0.0
97350	Idanha	Not Assigned	0	0	0	0.0	0.0
97351	Independence	Low	23	3	6.8	1.2	8.7
97352	Jefferson	*Moderate*	10	7	11.6	3.0	30.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97355	Lebanon	Moderate	35	5	16.5	2.3	8.6
97357	Logsdon	Not Assigned	0	0	0	0.0	0.0
97358	Lyons	*Low*	7	1	2	0.8	0.0
97360	Mill City	Not Assigned	2	1	1.2	1.1	0.0
97361	Monmouth	Moderate	39	6	9.5	2.0	12.8
97362	Mount Angel	*Moderate*	14	6	9.8	2.2	21.4
97364	Neotsu	Not Assigned	0	0	0	0.0	0.0
97365	Newport	*Low*	14	4	5	1.9	14.3
97366	South Beach	Not Assigned	4	1	1.4	0.9	0.0
97367	Lincoln City	*Moderate*	16	5	8.7	1.6	18.8
97368	Otis	Not Assigned	3	8	13.9	5.7	33.3
97369	Otter Rock	Not Assigned	0	0	0	0.0	0.0
97370	Philomath	Moderate	33	7	21.2	2.8	27.3
97371	Rickreall	Not Assigned	2	7	4.5	2.1	50.0
97374	Scio	*Moderate*	19	7	11.9	2.9	36.8
97375	Scotts Mills	*High*	9	8	19.2	4.2	44.4
97376	Seal Rock	Not Assigned	2	1	2.8	1.5	0.0
97377	Shedd	Not Assigned	2	1	1.1	1.0	0.0
97378	Sheridan	*Low*	11	4	5	1.8	18.2
97380	Siletz	Not Assigned	2	10	16.3	8.9	50.0
97381	Silverton	Moderate	348	7	40.1	3.5	29.6
97383	Stayton	Moderate	21	5	17.3	2.2	4.8
97385	Sublimity	Moderate	20	7	10.2	3.5	35.0
97386	Sweet Home	*Moderate*	13	5	10.5	1.6	15.4
97389	Tangent	Not Assigned	4	6	7.1	2.5	25.0
97390	Tidewater	Not Assigned	1	1	1.8	1.8	0.0
97391	Toledo	*Moderate*	9	5	8	2.8	22.2
97392	Turner	Moderate	55	7	23.1	3.3	29.1
97394	Waldport	Not Assigned	2	1	1	0.6	0.0
97396	Willamina	*Moderate*	7	6	6	2.1	28.6
97401	Eugene	Moderate	43	5	10.1	1.6	11.6
97402	Eugene	Low	32	3	7	1.5	9.4
97403	Eugene	Moderate	28	5	15.1	1.8	14.3
97404	Eugene	Moderate	28	6	14.7	2.2	17.9
97405	Eugene	Low	146	4	8.5	1.6	8.9
97406	Agness	Not Assigned	1	1	0.2	0.2	0.0
97408	Eugene	Low	20	3	7.5	1.0	5.0
97410	Azalea	Not Assigned	0	0	0	0.0	0.0
97411	Bandon	*Low*	8	4	4.1	1.0	12.5
97412	Blachly	Not Assigned	0	0	0	0.0	0.0
97413	Blue River	Not Assigned	1	1	1	1.0	0.0
97414	Broadbent	Not Assigned	0	0	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97415	Brookings	*High*	11	8	35	4.8	27.3
97416	Camas Valley	Not Assigned	1	1	0.3	0.3	0.0
97417	Canyonville	Not Assigned	1	1	2	2.0	0.0
97419	Cheshire	Not Assigned	0	0	0	0.0	0.0
97420	Coos Bay	Moderate	25	6	18.4	2.3	12.0
97423	Coquille	*Low*	11	3	7.3	1.8	9.1
97424	Cottage Grove	*Low*	7	1	3.5	1.6	0.0
97426	Creswell	*Low*	11	3	4.8	1.3	9.1
97429	Days Creek	Not Assigned	0	0	0	0.0	0.0
97430	Deadwood	Not Assigned	0	0	0	0.0	0.0
97431	Dexter	Not Assigned	1	1	1.9	1.9	0.0
97434	Dorena	Not Assigned	0	0	0	0.0	0.0
97435	Drain	Not Assigned	1	1	1.8	1.8	0.0
97436	Elkton	Not Assigned	1	1	1.2	1.2	0.0
97437	Elmira	Not Assigned	2	1	1.1	0.9	0.0
97438	Fall Creek	Not Assigned	0	0	0	0.0	0.0
97439	Florence	*Low*	8	1	1.8	0.8	0.0
97441	Gardiner	Not Assigned	0	0	0	0.0	0.0
97442	Glendale	Not Assigned	1	1	1.2	0.8	0.0
97443	Glide	Not Assigned	2	2	3.6	2.4	0.0
97444	Gold Beach	*Low*	5	1	2	1.1	0.0
97446	Harrisburg	Not Assigned	2	1	1.4	0.9	0.0
97447	Idleld Park	Not Assigned	0	0	0	0.0	0.0
97448	Junction City	*Moderate*	13	6	22.9	3.0	23.1
97449	Lakeside	Not Assigned	1	1	0.6	0.6	0.0
97450	Langlois	Not Assigned	0	0	0	0.0	0.0
97451	Lorane	Not Assigned	1	1	1	1.0	0.0
97452	Lowell	Not Assigned	1	1	0.2	0.2	0.0
97453	Mapleton	Not Assigned	1	1	2.2	1.9	0.0
97454	Marcola	Not Assigned	1	1	1.3	1.3	0.0
97455	Pleasant Hill	Not Assigned	1	1	0.7	0.7	0.0
97456	Monroe	*Moderate*	5	7	12.5	4.3	20.0
97457	Myrtle Creek	*Moderate*	7	6	5.6	2.2	28.6
97458	Myrtle Point	Not Assigned	3	5	4.2	1.9	33.3
97459	North Bend	*Low*	14	4	7.5	1.7	14.3
97461	Noti	Not Assigned	0	0	0	0.0	0.0
97462	Oakland	Not Assigned	2	1	0.8	0.7	0.0
97463	Oakridge	Not Assigned	2	10	36.4	15.5	50.0
97465	Port Orford	Not Assigned	1	1	1.6	1.6	0.0
97466	Powers	Not Assigned	0	0	0	0.0	0.0
97467	Reedsport	Not Assigned	1	1	0.4	0.4	0.0
97469	Riddle	Not Assigned	1	1	1.9	1.9	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97470	Roseburg	*Low*	14	4	7.7	1.4	14.3
97471	Roseburg	Low	23	1	3.7	1.0	0.0
97473	Scottsburg	Not Assigned	0	0	0	0.0	0.0
97476	Sixes	Not Assigned	1	1	0.9	0.9	0.0
97477	Springfield	Moderate	20	6	10	1.8	25.0
97478	Springfield	*Low*	10	4	4.7	1.3	20.0
97479	Sutherlin	Not Assigned	1	1	0.5	0.5	0.0
97480	Swishhome	Not Assigned	0	0	0	0.0	0.0
97481	Tenmile	Not Assigned	1	1	0.6	0.5	0.0
97484	Tiller	Not Assigned	0	0	0	0.0	0.0
97486	Umpqua	Not Assigned	1	8	5	4.8	100.0
97487	Veneta	Not Assigned	1	2	2.7	2.5	0.0
97488	Vida	Not Assigned	1	1	1.9	1.9	0.0
97489	Walterville	*Low*	7	1	3.1	1.5	0.0
97490	Walton	Not Assigned	0	0	0	0.0	0.0
97492	Westfir	Not Assigned	0	0	0	0.0	0.0
97493	Westlake	Not Assigned	3	6	4.5	3.0	33.3
97495	Winchester	Not Assigned	0	0	0	0.0	0.0
97496	Winston	Not Assigned	1	2	2.1	2.1	0.0
97497	Wolf Creek	Not Assigned	0	0	0	0.0	0.0
97498	Yachats	Not Assigned	4	1	1.7	1.0	0.0
97499	Yoncalla	Not Assigned	0	0	0	0.0	0.0
97501	Medford	*Low*	18	4	6.6	1.7	11.1
97502	Central Point	*Low*	13	1	1.2	0.6	0.0
97503	White City	Not Assigned	0	0	0	0.0	0.0
97504	Medford	Moderate	38	5	12.3	1.8	13.2
97520	Ashland	Moderate	85	5	15.7	1.6	11.8
97522	Butte Falls	Not Assigned	1	1	1.5	1.3	0.0
97523	Cave Junction	Not Assigned	0	0	0	0.0	0.0
97524	Eagle Point	*Low*	5	1	2.1	0.8	0.0
97525	Gold Hill	Not Assigned	2	1	1.7	1.0	0.0
97526	Grants Pass	*Low*	18	4	22.7	1.8	5.6
97527	Grants Pass	*Low*	15	1	2.7	1.0	0.0
97530	Jacksonville	*Low*	8	1	2.1	0.8	0.0
97531	Kerby	Not Assigned	0	0	0	0.0	0.0
97532	Merlin	Not Assigned	1	1	0.7	0.7	0.0
97533	Murphy	Not Assigned	0	0	0	0.0	0.0
97534	O Brien	Not Assigned	0	0	0	0.0	0.0
97535	Phoenix	Not Assigned	4	5	4.7	1.5	25.0
97536	Prospect	Not Assigned	0	0	0	0.0	0.0
97537	Rogue River	*Low*	6	1	1.7	0.5	0.0
97538	Selma	Not Assigned	0	0	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97539	Shady Cove	Not Assigned	1	1	0.2	0.2	0.0
97540	Talent	*Low*	7	1	2	0.6	0.0
97541	Trail	Not Assigned	0	0	0	0.0	0.0
97543	Wilderville	Not Assigned	3	6	5.6	2.5	33.3
97544	Williams	Not Assigned	2	1	0.5	0.4	0.0
97601	Klamath Falls	Low	23	4	8.5	1.7	8.7
97603	Klamath Falls	*Low*	14	4	13.1	1.5	7.1
97620	Adel	Not Assigned	0	0	0	0.0	0.0
97621	Beatty	Not Assigned	0	0	0	0.0	0.0
97622	Bly	Not Assigned	0	0	0	0.0	0.0
97623	Bonanza	Not Assigned	0	0	0	0.0	0.0
97624	Chiloquin	Not Assigned	2	1	2	1.3	0.0
97625	Dairy	Not Assigned	0	0	0	0.0	0.0
97627	Keno	Not Assigned	0	0	0	0.0	0.0
97630	Lakeview	*Moderate*	10	6	8.6	2.3	10.0
97632	Malin	Not Assigned	0	0	0	0.0	0.0
97633	Merrill	Not Assigned	0	0	0	0.0	0.0
97635	New Pine Creek	Not Assigned	0	0	0	0.0	0.0
97636	Paisley	Not Assigned	1	1	1.6	1.1	0.0
97637	Plush	Not Assigned	0	0	0	0.0	0.0
97638	Silver Lake	Not Assigned	0	0	0	0.0	0.0
97639	Sprague River	Not Assigned	0	0	0	0.0	0.0
97640	Summer Lake	Not Assigned	0	0	0	0.0	0.0
97641	Christmas Valley	Not Assigned	0	0	0	0.0	0.0
97701	Bend	Low	36	4	15.1	1.8	8.3
97702	Bend	Low	41	4	9.6	1.2	2.4
97703	Bend	Moderate	90	5	12.7	1.7	12.2
97707	Bend	*Moderate*	14	6	105.4	7.8	7.1
97710	Fields	Not Assigned	0	0	0	0.0	0.0
97711	Ashwood	Not Assigned	0	0	0	0.0	0.0
97712	Brothers	Not Assigned	0	0	0	0.0	0.0
97720	Burns	*Low*	5	1	2.8	1.2	0.0
97721	Princeton	Not Assigned	0	0	0	0.0	0.0
97722	Diamond	Not Assigned	0	0	0	0.0	0.0
97730	Camp Sherman	Not Assigned	0	0	0	0.0	0.0
97731	Chemult	Not Assigned	0	0	0	0.0	0.0
97733	Crescent	Not Assigned	0	0	0	0.0	0.0
97734	Culver	Not Assigned	4	1	1.1	0.7	0.0
97735	Fort Rock	Not Assigned	0	0	0	0.0	0.0
97737	Gilchrist	Not Assigned	0	0	0	0.0	0.0
97738	Hines	Not Assigned	2	1	1.8	1.2	0.0
97739	La Pine	*Low*	7	1	2.3	1.1	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97741	Madras	*Low*	6	1	3.7	0.9	0.0
97750	Mitchell	Not Assigned	2	7	4.1	2.2	50.0
97751	Paulina	Not Assigned	0	0	0	0.0	0.0
97752	Post	Not Assigned	0	0	0	0.0	0.0
97753	Powell Butte	Not Assigned	2	1	1	0.8	0.0
97754	Prineville	Moderate	22	5	15.1	2.0	9.1
97756	Redmond	*Low*	14	3	4.6	1.4	7.1
97758	Riley	Not Assigned	0	0	0	0.0	0.0
97759	Sisters	*Moderate*	7	6	7	2.2	28.6
97760	Terrebonne	Not Assigned	2	1	1.8	1.3	0.0
97761	Warm Springs	Not Assigned	0	0	0	0.0	0.0
97801	Pendleton	Moderate	36	5	9.2	2.0	11.1
97810	Adams	Not Assigned	2	1	1.8	1.4	0.0
97812	Arlington	Not Assigned	1	1	0.9	0.9	0.0
97813	Athena	Not Assigned	0	0	0	0.0	0.0
97814	Baker City	Moderate	50	7	20.3	3.7	34.0
97817	Bates	Not Assigned	0	0	0	0.0	0.0
97818	Boardman	Not Assigned	0	0	0	0.0	0.0
97820	Canyon City	Not Assigned	1	10	8.3	8.3	100.0
97823	Condon	Not Assigned	0	0	0	0.0	0.0
97824	Cove	*High*	7	8	9.7	4.7	42.9
97825	Dayville	Not Assigned	0	0	0	0.0	0.0
97826	Echo	Not Assigned	1	8	7.3	7.1	100.0
97827	Elgin	*Moderate*	9	6	7.8	2.5	33.3
97828	Enterprise	*Low*	10	1	2.9	1.5	0.0
97830	Fossil	Not Assigned	0	0	0	0.0	0.0
97833	Haines	Not Assigned	4	7	5.8	3.3	50.0
97834	Halfway	Not Assigned	2	1	2.6	1.7	0.0
97835	Helix	Not Assigned	2	1	2	1.7	0.0
97836	Heppner	Not Assigned	4	1	2.1	1.7	0.0
97837	Hereford	Not Assigned	1	1	1.5	1.5	0.0
97838	Hermiston	*Low*	9	4	7.5	1.9	11.1
97839	Lexington	Not Assigned	0	0	0	0.0	0.0
97840	Oxbow	Not Assigned	0	0	0	0.0	0.0
97841	Imbler	Not Assigned	1	1	2.1	1.7	0.0
97842	Imnaha	Not Assigned	0	0	0	0.0	0.0
97843	Ione	Not Assigned	1	8	6.3	5.0	100.0
97844	Irrigon	Not Assigned	1	2	2.3	2.2	0.0
97845	John Day	Not Assigned	1	9	9	5.2	100.0
97846	Joseph	Not Assigned	4	2	3.8	2.2	0.0
97848	Kimberly	Not Assigned	0	0	0	0.0	0.0
97850	La Grande	High	130	8	47.6	4.6	44.6

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018

Oregon Radon Program
Indoor Radon Test Results Summary

ZIP Code	City	Risk Level	Locations	Risk Score	Maximum Result	Average Result	Percent of Locations ≥ 4
97856	Long Creek	Not Assigned	0	0	0	0.0	0.0
97857	Lostine	Not Assigned	1	1	1.6	1.4	0.0
97859	Meacham	Not Assigned	0	0	0	0.0	0.0
97862	Milton Freewater	*Moderate*	18	7	14.8	3.8	27.8
97864	Monument	Not Assigned	0	0	0	0.0	0.0
97865	Mount Vernon	Not Assigned	1	8	5.4	5.4	100.0
97867	North Powder	Not Assigned	1	2	2.3	2.3	0.0
97868	Pilot Rock	Not Assigned	0	0	0	0.0	0.0
97869	Prairie City	Not Assigned	0	0	0	0.0	0.0
97870	Richland	Not Assigned	1	2	2.6	2.6	0.0
97873	Seneca	Not Assigned	0	0	0	0.0	0.0
97874	Spray	Not Assigned	0	0	0	0.0	0.0
97875	Stanfield	Not Assigned	1	1	0.2	0.2	0.0
97876	Summerville	*High*	6	9	13.7	6.5	50.0
97877	Sumpter	Not Assigned	3	1	1.8	1.1	0.0
97882	Umatilla	Not Assigned	4	1	1.9	1.2	0.0
97883	Union	Not Assigned	4	2	3.8	2.1	0.0
97884	Unity	Not Assigned	0	0	0	0.0	0.0
97885	Wallowa	Not Assigned	1	1	1.8	1.7	0.0
97886	Weston	Not Assigned	2	1	1.7	1.3	0.0
97901	Adrian	Not Assigned	0	0	0	0.0	0.0
97903	Brogan	Not Assigned	0	0	0	0.0	0.0
97904	Drewsey	Not Assigned	0	0	0	0.0	0.0
97906	Harper	Not Assigned	0	0	0	0.0	0.0
97907	Huntington	Not Assigned	1	1	1.3	1.3	0.0
97908	Ironside	Not Assigned	0	0	0	0.0	0.0
97909	Jamieson	Not Assigned	0	0	0	0.0	0.0
97910	Jordan Valley	Not Assigned	1	1	0.3	0.3	0.0
97911	Juntura	Not Assigned	0	0	0	0.0	0.0
97913	Nyssa	*Low*	6	1	2.1	1.7	0.0
97914	Ontario	Low	26	3	6.8	1.7	3.8
97917	Riverside	Not Assigned	0	0	0	0.0	0.0
97918	Vale	*Low*	6	1	2.7	1.2	0.0
97920	Westfall	Not Assigned	0	0	0	0.0	0.0

Risk Level with asterisks (*) indicates there are only 5-19 locations with a radon test result.

"Not Assigned" indicated there were fewer than 5 locations.

Last Modified

2/7/2018